REFERENCES

synthesis of DNA active tridentate Schiff base ligand and metal complexes," *Bull. Electrochem.*,**21**, 297-303. Ahmed, R .M.;Enaam, .I Y. ;Mohamad, J . A.(2007); "Co(II) and Cd(II) complexes derived from heterocyclic Schiff-bases: synthesis, structural characterisation, and biological activity", T*he Scientific World J.*, **2013**,1-6.

Bairwa, B.S.; Goyal, M.;Sharma,I.K.; Varshney, S.;Verma, P.S.(2007); " Electro chemical behaviour of Ni(II) 1-amino acid in aqueous dimethyl formamide, N-methyl formamide and formamide media at DME", *Indian J.Chem.,***46** A,778.

Bal, M.; Okhan, G.; Bar,C.;AVAR, S(2014).; Kayraldiz, A.;Ukerrem, M.; GLU, K.;"Synthesis and X-ray powder diffraction, electrochemical, and genotoxic properties of a new azo-Schiff base and its metal complexes",*Turk. J. Chem.***38** ,222 - 241.

Chakraborty, H.; Paul, N. & Rahman, M.L(1994); "Catalytic activities of Schiff bases aquo complexes of Cu(II) in the hydrolysis of amino acid esters", *Transition Met. Chem.*, **19**, 524 .

Chandra, S.; Tyagi, M.(2009); "Synthesis, structural and antibacterial studies of some transition metal complexes derived from thiosemicarbazone and semicarbazone" *Phosphorus, Sulfur and Silicon*, **184**, 778.

Chandra,S.;Jain, D.;Sharma,A.K.;Sharma,P.(2009); "Coordination modes of a Schiff base pentadentate derivative of 4-aminoantipyrine with cobalt(II), nickel (II) and copper (II) metal ions: synthesis, spectroscopic and antimicrobial studies", *Molecules*,**14**,174-190.

characterization and antimicrobial studies of some vanillin Schiff base metal (II)Chitra, S.; Parameswari, K.; Selvaraj, A.(2010); "Dianiline Schiff bases as inhibitors of mild steel corrosion in acid media*", Int. J.Electrochem*. Sci., **5**, 1675-1697. complexes",*J. Chem. Pharm. Res.,***5**, 22-28,.

containing Schiff bases and their Ni(II) complexes", *Dyes Pigments* , **98**(3), 499-506.

De, B.;Ramasarma, G.V.S.(1999); "Determination of pKa and correlation with the analgesic activity of 5-oximidazolyl amino pyrazole 4-carboxaldehydes and theirDesai,J.M.; Desai, K. K.(1999); "Syntheis and antibacterial activity of oximessemicarbazone and thiosemicarbazones";, *Asian J. Chem*., **11**,1071 .

Desai,M.N.; Talati,J.D.;Vyas, C.V.Shah, N.K.(2008);"Some Schiff bases as corrosion inhibitors for zinc in sulphuric acid*", Indian J.Chem.Technol*.,**15**,228-237.

Dongfang, X.U.; Shuzhi, M.A.; Guangying, D.U.; Qizhuang, H.E. &Dazhi, S.U.N, (2008)"Synthesis, characterization and anticancer properties of rare earth complexes with Schiff base and o-phenanthroline", *J.Rare Earths,* **26,** 643 .

Ershad, S.; Sagathforoush, L. A.; Karim-nezhad, G.; Kangari, S.(2009), "Trasition metal complexes with N,S donor ligands as synthetic antioxidant," *Int. J. Electrochem. Sci.***4**,846 – 854.

Farag, A. A.; Hegazy, M. A(2013)., "Synergistic inhibition effect of potassium iodide andnovel Schiff bases on X65 steel corrosion in 0.5 M H_2SO_4", *Corrosion Science*,**74**, 168-177.

Fugu, M. B.; Ndahi, N. P.; Paul, B. B. ; Mustapha, A. N(2013).; "Synthesis,

Hadjipavlu, L.;Dimitra,J.;Geronikaki& Athina, A.(1998); "Thiazolyl and benzothiazolylSchiff base as novel possible lipoxygenase inhibitors and anti-inflammatory agents"*Drug Des. Discovery*, **15**, 199

Int.J.Eiectrochem.sci.,4,846(2009) "Electrochemical behavior of N_2SO Schiff base Co(II) complexes in non-aqueous media at the surface of solid electrodes", .

Jafari, H.; Danaee, I.; Eskandari, H.; RashvandAvei, M.(2013), "Electrochemical andtheoretical studies of adsorption and corrosion inhibition of N,N'-Bis(2-hydroxyethoxyacetophenone)-2,2-dimethyl-1,2-propanediimine on low carbon steel (API 5L Grade B) in acidic solution", *Ind. Eng. Chem. Res.*, **52**(20), 6617-6632.

Jayashree, B. S.; Jerald,J. &Venugopala, K. N.(2004) ; "Synthesis and characterization of Schiff bases of 2-amino-4-(3-coumarinyl) thiazole as potential NSAIDs", *Orient J. Chem.*, **20**, 123 .

Kelode, S. R.; Mandlik, P. R(2012).; "Synthesis, characterization and antimicrobial studies of Co(II), Ni(II), Cu(II),Cr(III), Mn(III), Fe(III), VO(IV), Zr(IV) and UO2(VI) with tetradentate Schiff base having N_2O_2 donor group",*J. Chem. Pharm. Res.,* **4** ,4181-4184, .

Khalaji, A.D.; Rad, S.M.; Grivani, G.; Das, D.(2011), " Nickel (II) and Copper (II) complexes with an asymmetric bidentate Schiff base ligand derived from furfuryl amine", *Therm. Anal. Calorim*. **103**, 747-751.

Kianfer, A.H.; Paliz, M; Roushani, M(2011); Shamsipur;"Synthesis, spectroscopy,electrochemistry and thermal study of vanadyl tridentate Schiff base complexes" *Spectrochim. Acta.Part A,* **82**,44-48 .

Kulkarni,A.D.;Patil, S.A.;Badami,P.S.(2009); " Electrochemical properties of some transition metal complexes :synthesis,characterisation and invitro antimicrobial studies of Co (II), Ni(II),Cu(II), Mn(II) and Fe (III) complexes", *Int.J. Electrochem.Sci.*, **4**,717.

Kumar, K.S.; Ganguly, S.; Veerasamy, R.; Clercq, E.D(2010); "Synthesis, antiviral activity and cytotoxicity evaluation of Schiff bases of some 2-phenyl quinazoline-4(3)H-ones", *Eur. J. Med. Chem.*, **45**, 5474 .

Luo, X.; Zhao, J.; Ling, Y. & Liu,Z92002).; "Antioxidative effect of Schiff bases with o-hydroxybenzylidene group on free radical induced hemolysis of human red bloodcell", *Chem. Res. Chinese Univ.*, **18**, 287.

Menati, S.; Azadbakht, A.; Azadbakht, R.; Taeb, A.(2013); Kakanejadifard, A.,

Mohar, D.K.; Upadhyay, R.K.; Chaturvedi, A.(2010); "Study of corrosion inhibition efficiency of some Schiff's bases on aluminium in trichloroacetic acid solution", *Rev.Roum. Chim*.,**55**(4), 227-232 .

Moharram, Y. I.; El-Hallag, I. S.; El-Attar, M.(2005); "Designing

Nagajothi, A.; Kiruthika, A.; Chitra, S.; Parameswari, K(2012); "Synthesis and characterization of tetradentate Co(II) Schiff base complexes : antimicrobial & DNA cleavage studies", *Int. J. Pharm. Biomed. Res.,***3**(4) , 1768-1778,.

Naskar, S.; Naskar, S.; Butcher, R. J.; Corbella, M.; Espinosa F.(2013)," Synthesis, X-raycrystal structures, and spectroscopic, electrochemical, and theoretical studies of Mn (III) complexes of pyridoxal Schiff bases with two diamines", *Eur. J. Inorg.Chem.* (18), 3249-3260.

Prashanthi, Y.;,Kiranmai, K.; Kumar, Ira.; Chityala, S.; Shivraj, V. K(2012). "Spectroscopic characterization and biological activity of mixed ligand complexes", *Bioinorg.Chem. Appl.*, , 8.

Quiroga, A.G &Ranninger,C.N(2004) ; "Contribution to the SAR field of metallated and coordination complexes: Studies of the palladium and platinum derivatives with selected thiosemicarbazones as antitumoral drugs," *Coord. Chem. Revs*. **248**, 119 .

Rasouli, M.; Morshedi, M.; Amirnasr, M.; Slawin, A. M.; Randall, R.(2013), "Synthesis,crystal structure, and electrochemical properties of Cu(I) coordination polymers withtwo new (NS)2 Schiff-base ligands containing long flexible spacers", *J. Coord.Chem.*, **66**(11), 1974-1984.

Rastogi, R. K.; Garg, P.(2014); Ahmad, S.; " Prepration and charaterisation of manganese and vanadium complexes of Schiff basess" *Indian Journal Of AppliedResearch*, **4**, 327-331.

Reiss, A.; Chifiriuc, M.C.; Amzoiu, E.; Spinu. C.I(2014); "Transition metal(II) complexes with cefotaxime-derived Schiff base: synthesis, characterization, and

Sangtyani, R.; Rawat, J.; Verma, P. S.(2011); Varshney, A. K.; Varshney,S.;"Electrochemical behavior of 4-acetylbiphenylsemicarbazone and 4-acetylbiphenylthiosemicarbazone"*J. Indian Chem. Soc* , **88**(10), 1553-1560,.

Schiff bases", *Indian Drugs*, **36**, 583 .

Sobiesiak,M.; Sobiesiak, K.; Mrozek, A.; Mayer, P.; Lorenz, I.P.; Rozalski, M.; Krajewska, U.; Budzisz, E.(2010); "Synthesis, X-ray structures, electrochemical

properties and cytotoxic effects of Co (II) complexes", *Inorg.Chim.Acta*.,**363**,2171-2179.

Sumathi, R .B .&; Halli, H. B.(2014) "Metal (II) complexes derived from napthofuran -2-carbohydrazide and diacetylmonoxime Schiff bases: synthesis, spectroscopic,electrochemical,and biological investigation" *BioinorgChemAppl*, ,1-11.

Tas, E.; Kilic, A.;Durgun, M.;Kupecik, L.;Yilmazc, I.;Arsland, S.(2010); "Cu(II), Co(II),Ni(II), Mn(II), and Fe(II) metal complexes containing N,N_-(3,4-diaminobenzophenon)-3,5-Bu^t_2-salicylaldimine ligand: Synthesis, structural characterization, thermal properties, electrochemistry, and spectroelectrochemistry",*SpectrochimicaActa Part A*,**75**,811–818, .

Upadhyay, R.K.; Mathur, S.P.(2007); " Effect of Schiff's bases as corrosion inhibitors on mild steel in sulphuric acid", E-J. Chem.,**4** (3),408-414 .

Varshney, S.; Gupta, M.; Bansal, K. B.; Varshney, A. K.(2013); "Synthesis, characterization, antimicrobial and insecticidal activity of some new ruthenium (III) complexes with Schiff bases of amino acids" *Indian J. Chem., Sect. A: Inorg.* ,**8**(5), 129-135,.